

INDEX MAPS.

T.25 N. R. 6 E . 2^d Mer.

314	315	315	316	316	317	
320 6	360 5	344 4	341 3	334 2	326 1	314
360	359	348	340	333	326	
319 7	358 8	348 9	340 10	332 11	325 12	313
357	357	347	339	332	325	
319 18	356 17	346 16	339 15	331 14	324 13	313
355	354	346	338	330	323	
318 19	354 20	345 21	337 22	330 23	323 24	313
353	352	344	337	329	322	
318 30	351 29	343 28	336 27	328 26	321 25	312
351	350	343	335	328	321	
317 31	349 32	342 33	334 34	327 35	320 36	312
309	309	309	310	311	311	

T.26 N. R. 6 E . 2^d Mer.

Mcanders Page 377. Davis Page 380

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
318 30	377 29	28	27	372 26	370 25
375	376		373	372	370
318 31	375 32	374 33	34	371 35	369 36
365	365	366	366	367	368

No 4.

No 5

Mississippi River

The figures on the lines refer to the page.

309

Township No. 25 N. Range No. 6 E. 2nd Mer. Indiana
Chs. Hs.

South Boundary.

Var. 42° 10' East.

N. 89° 40' E. On S. Boundary of Sec. 31.
18.10 a B. Ash 10 in. diam.
22.00 Dry Bed of Stream 10 lbs. wide co. Northw.
36.50 Set 2nd Sec. post p. wh.
a Beech 15 in. diam. N. 63° W. 27 lb. d.
a Do 15 " " " S. 46° E. 15 " "
54.47 a Do 12 " "
76.50 Set post cor. to Secs. 31 & 32 p. wh.
a B. Ash 8 in. diam. N. 35° E. 35 lb. d.
a Do 8 " " " N. 33° W. 27 "
Land Soil fine rate clay soil
W. B. Ash, Maple, Sycamore, Gum, Ironw.
W. Wood, Oak, B. Walnut, Undergrowth,
P. Ash & Spruce

N. 89° 40' E. On S. Boundary of Sec. 32. Var. 42° 20' E.
19.00 a Beech 12 in. diam.
44.00 Set 2nd Sec. post p. wh.
a Beech 20 in. diam. N. 33° E. 43 lb. d.
a Do 8 " " " N. 8° E. 12 "
46.00 a Road N. & S.
52.00 a Do N. & S.
56.70 a Stream 30 lbs. wide co. Northw. rapids
62.75 a W. Ash 24 in. diam.
80.00 Set post cor. to Secs. 32 & 33 p. wh.
an Elm 12 in. diam. N. 49° W. 45 lb. d.
a Do 8 " " " N. 36° E. 53 "
Land Soil fine rate clay
soil. Beech, Sugar, Gum, Elm, W. Wood,
Ironw. B. Walnut, Hickory, W. & B. Oak,
Sycam. Buckeye, &c. not much Undergrowth.

N. 89° 40' E. On S. Boundary of Sec. 33. Var. 43° 0' E.
21.10 a Beech 15 in. diam. -

T. 25 N. R. 6 E. 2nd Mer. Indiana

Ch. lks.

- 22.00 a Road N. & S.
 24.50 Enter S. Side of pile extending
 about 5.00 North
 34.50 Leave Do N. & S.
 36.00 a Stream 20 lks. wide co. Northw^{ly}
 rapid, with Stony Bottom
 39.00 Ascend ^{Bank} 10 feet high N. & S.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 10 in. diam. B. 172 W. 33 lks. &
 a Do 20 " " " 145 E. 7 "
 57.00 a Road N. N. E.
 58.30 an Elm 12 in. diam.
 60.00 Set post Cor. to Sec. 33 & 34 p. wh.
 a B. Ash 12 in. diam. B. 142 W. 46 lks. &
 a Sycamore 20 " " " 150 E. 38 "
 Land sure pine rate - Clay.
 Soil - Elm. Hickory, W. Oak, B. Walnut,
 Sycamore, W. B. Ash, Maple, Ironwood.
 W. - P. Ash & Spruce -

- 64.00 On S. Boundary of Sec. 34
 22.00 a Beech 12 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Sugar 15 in. diam. B. 142 W. 20 lks. &
 a Do 12 " " " 121 E. 110 "
 42.00 Dry Bed of Stream 10 lks. wide co. N. E.
 58.50 Descend Bank 20 feet N. & S. to C^o Bottoms
 60.00 a Hackberry 15 in. diam.
 67.70 a Stream 40 lks. wide co. Northw^{ly}
 rapid shallow, gravelly bottom
 68.50 Ascend from Creek Bottom 8 feet
 80.00 Set post Cor. to Sec. 34 & 35 p. wh.
 a Sugar 24 in. diam. B. 179 W. 42 lks. &
 a Do 24 " " " 19 E. 18 "
 Land greatly rolling pine rate
 clay soil - Beech, Sugar, Hickory, Elm

T. 25 N. R. 6 E. 2nd Mer. Indiana

311

ch. lks.

Lynn. Iron? White Wood, B. Walnut
Cherry &c

189.40 E. On S. Boundary of Sec. 35

18.00 Enter field N. & S. 8.00 each way

30.00 Leave field

32.50 an Elm 12 in. diam.

34.00 a Stream 30 lks. wide co. N. & S. W.
Limestone Bottom

40.00 Set 2nd Sec. post p. w. h.

a Cherry 10 in. diam. N. 23 W. 31 lks. d. b.

a Beech 6 " " " S. 34 W. 24 " "

62.04 a Hickory 12 " "

79.00 a Road N. & S.

80.00 Set post Cor. to Sec. 35 & 36 p. w. h.

a Beech 12 in. diam. N. 60 E. 63 lks.

a Sugar 18 " " " N. 64 W. 38 "

Land gently rolling fine
rate. Sugar, Beech, N. & S. Oak, W. Wood.
Iron? B. Walnut, Elm, Lynn &c - some
Spruce & P. Ash.

189.40 E. On S. Boundary of Sec. 36

18.35 a Sugar 12 in. diam.

40.00 Set 2nd Sec. post p. w. h. (in stream
8 lks. wide co. N. & W. -)

a Beech 10 in. diam. N. 36 E. 41 lks. x

a 20 " " " N. 10 W. 34 "

51.35 a Sugar 12 " "

79.90 a Road N. & S.

80.00 Set post Cor. to Towns 24 & 25 North
Rangers 67 East p. w. h.

Intersected at V. S. post

a Sycamore 24 in. diam. N. 29 E. 15 lks. d. b.

an Elm 20 " " " S. 29 W. 23 " "

Land level & rich fine rate. Timber

T. 25 N. R. 6 E. 2nd Mer. Indiana
chs. lks.

Beech, Sugar, Sycam., Hickory, B. Walnut,
Ironw., Elm, B. Ash, Sycam., rather
wet. in wet times - Nov. 2nd 1846,

East Boundary.

Var. 435 E.

N. 10th On E. Boundary of Sec. 36
21.40 a W. Oak 18 in. diam.
33.00 a Road E. & W.
36.00 a L^o N. by E.
40.00 Set 2nd Sec. post p. wh.
a Beech 6 in. diam. B. N. 38 E. 35 lks.
a L^o 10 " " " " S. 27 W. 23 "
42.00 Marion & Wells's Road E. & W.
57.38 a Hickory 10 in. diam.
80.00 Set post Cor. to Secs. 25 & 36 p. wh.
a W. Oak 24 in. diam. B. N. 46 W. 48 lks.
a W. Ash 12 " " " " N. 15 W. 21 "
Land here fine rate Clay
soil - W. B. Oak, Sugar, Sycam.,
W. B. Ash, Ironw., W. Wood, Hickory,
Sycam., Elm &c - Thorn, P. Ash, Brier -

N. 10th On E. Boundary of Sec. 25.
19.05 a Beech 10 in. diam.
40.00 Set 2nd Sec. post p. wh.
a Beech 8 in. diam. B. S. 38 W. 30 lks. &
a L^o 6 " " " " N. 70 W. 38 "
51.50 a Road E. & W.
63.45 a W. Oak 10 in. diam.
65.50 a Stream 30 lks. wide ca. Westward
73.00 a Road E. & W.
80.00 Set post Cor. to Secs. 24 & 25 p. wh.
a Beech 12 in. diam. B. S. 71 W. 44 lks.
a L^o 15 " " " " N. 38 W. 62 "
Land here fine rate - Beech.

T. 25 N. R. 6 E. 2nd Mer. Indiana

313

chk. lbs.

Sugar. Ironw. Oak &c - Oak, Beech,
Sugar small growth - P. Ash & Thorn -

N. 10th Q^u E. Boundry. of Sec. 24

19.68 a W. Ash 12 in. diam.

40.00 Srd L 2nd Sec. post p. wh.

a Hickory 8 in. diam. N. 19 E. 15 lbs. x

a W. Wood 10 " " " N. 46 W. 28 "

56.14 a Beech 12 " "

80.00 Srd L post Cor. to Sec. 13 x 24 p. wh.

a Beech 18 in. diam. N. 151 W. 35 lbs.

a B. Oak 18 " " " N. 33 W. 30 "

Land level firm rate - Beech

Elin. W. Ash. Lym. Sycamore. Sugar.

W. B. Oak Ironw. B. Walnut &c.

Some Spruce & P. Ash.

N. 10th Q^u E. Boundry. of Sec. 13.

20.90 a Beech 8 in. diam.

40.00 Srd L 2nd Sec. post p. wh.

a Beech 8 in. diam. N. 181 W. 34 lbs. dis.

a B. Ash 8 " " " N. 34 E. 9 " "

57.05 an Elin 15 " "

80.00 Srd L post Cor. to Sec. 12 x 13 p. wh.

a W. Ash 15 in. diam. N. 137 W. 22 lbs. dis.

a L^o 10 " " " N. 25 W. 71 " "

Land level firm rate - Clay soil

Beech. Elin. W. Ash. Ironw. W. Wood.

W. B. Oak. B. Walnut &c - Some

P. Ash & Spruce

N. 10th Q^u E. Boundry. of Sec. 12

6.00 a Road E. of W.

28.64 an Ironw. 10 in. diam.

31.00 a Road E. of W.

40.00 Srd L 2nd Sec. post p. wh.

L. 25 N. P. & E. 2nd Ver. Indiana.
ch. lks.

an Ironw. 4 in. diam. b. S. 16 E. 14 lks. &
a B. Ash 6 " " " N. 39 W. 17 "
60.59 an Elm 12 " "
80.00 Set post Cor. to Sec. 1 & 12 p. wh.
a Beech 20 in. diam. b. N. 44 W. 24 lks.
a Do 8 " " " S. 50 W. 31 "
Land here fine rate Clay
Soil - Beech, Elm, Sugar, W. B. Oak,
W. Ash, Ironw. Buckeye, Gum, Hickory, &
Not much undergrowth

N. 10th Ch E. Boundary of Sec. 1.
20.10 a Beech 12 in. diam.
38.50 a Ham 20 lks wide co. Easterly
rapid stony bottom
40.00 Set 2nd Sec. post p. wh.
a B. Ash 10 in. diam. b. N. 50 E. 14 lks.,
a W. Ash 15 " " " S. 57 W. 20 "
50.50 a Road N. E.
50.93 a Sugar 12 in. diam.
73.76 Intersected at Town Corner as
previously established.
(See N. Boundary.)
Land gently rolling
fine rate Clay soil - Sugar, Beech,
Oak, Gum, Maple, Hickory, B. Walnut,
&c - Not much undergrowth
October 3, 1846.

North Boundary.

N. 89.50 E. Ch S. Boundary of Sec. 31, L. 26 N. P. & E. Var. 4.10' East
20.20 an Elm 12 in. diam.
35.00 Set 2nd Sec. post p. wh.
a Beech 12 in. diam. b. N. 58 W. 52 lks.
a Do 10 " " " S. 23 E. 17 "

T. 25 N. R. 6 E. 2nd Mer. Indiana

315

Chs. lks.

- 56.87 a B. Ash 8 in. diam.
 75.00 S&L post Cor. to Sec. 31 & 32 T. 26 N. R. 6 E.
 a B. Ash 10 in. diam. to N 39 E. 18 lks. x
 a Spruce 10 " " " N 36 W. 37 " "
 Land here and in wet season
 very wet - rich first rate soil - Timber
 W. B. Ash. Elm. Maple. Ironwood.
 W. Wood. Spruce - P. Ash & Birch -

N. 89° 50' E. On S. Boundary of Sec. 32. T. 26 N. R. 6 E.
 Variation 3.55 East

- 15.00 Clear Spruce B. Ash Land N. & S.
 16.72 a B. Oak. 24 in. diam.
 39.00 Bed of Stream 10 lks. wide co. E. N. E.
 40.00 S&L 2nd Sec. post p. wh.
 a Beech 12 in. diam. to N 23 E. 23 lks. x
 a Do 8 " " " N. 11 E. 46 "
 40.50 a Road E. N. E.
 43.00 Bed of Stream 10 lks. wide S. E. & N. W.
 46.00 Do N. E. & S. W.
 58.30 Do S. E. & N. W.
 58.55 a Beech 10 in. diam.
 75.00 Around Bank 20 feet S. E. & N. W.
 78.00 Bed of Stream co. S. E. & N. W.
 80.00 S&L post Cor. to Sec. 32 & 33. p. wh.
 a Beech 12 in. diam. to N 65 W. 30 lks. dis.
 a Sugar 14 " " " N. 64 E. 53 " "
 Land gently rolling first rate -
 Beech. Sugar. Ironwood. B. Walnut. Hickory.
 W. Wood. W. B. Oak - P. Ash & Spruce -

N. 89° 50' E. On S. Boundary of Sec. 33 T. 26 N. R. 6 E.
 Variation 3.55 East

- 22.75 To W. Line of Claim & S&L post p. wh.
 a Beech 12 in. diam. to S 15 E. 27 lks. dis.
 a Sugar 15 " " " S. 25 W. 54 " "

T25 N. R. 6 E. 2nd Mer. Indiana

cls. lks.

Measura S. 15° E. along Westerly Line of
 Float Claim 2.70 to S.W. Cor. of same
 45.00 a Spring Brook 8 lks. wide co. Northwly
 80.00 Cor. to Sec. 33 & 34 in Float Claim
 Land greatly rolling pine
 rate. Beech. Sugar. B. Walnut,
 Hickory, Ironw. W. Wood. Gum. Elm.
 Boxwood, Mulberry &c.

189.50 E. On S. Boundary of Sec. 34, T26 N. R. 6 E.
 Variation 420' E.

31.00 a Stream 10 lks. wide co. N.W.
 33.43 To Easterly Line of Float Claim N. 5.
 and set post (x Clear 20) pr. wh.
 a Beech 10 in. diam. S. N. 25° E. 50 lks. &
 a Buckeye 8 " " " S. 77° E. 14 "

Measura S. 13° E. 92 lks. to S. E. Cor.
 of Float Claim N. 5.
 40.00 Set 2nd Sec. post pr. wh.

a Sugar 10 in. diam. S. N. 64° W. 25 lks. &
 a Do 12 " " " N. 70° E. 20 "

54.50 an Elm 15 " "

64.00 a Stream 10 lks. wide co. North.
 Rapid and shallow.

80.00 Set post Cor. to Sec. 34 & 35 pr. wh.
 a Beech 16 in. diam. S. N. 7° E. 52 lks. &
 a Do 10 " " " N. 65° W. 73 "

Land rolling pine rate Clay
 Soil - B. Walnut, Beech. W. P. Oak. Sugar.
 Gum. Ironw. W. Wood. Elm. Hick. &c.

189.50 E. On S. Boundary of Sec. 35, T26 N. R. 6 E.
 Variation 420' East

12.50 a Road N. & S.

15.50 Bed of Stream 10 lks. wide co. Northwly

25.52 a Sugar 12 in. diam.

T25 N. R. 6 E. 2nd Mer. Indiana ³¹⁷

Chs. lks.
 40.00 Set 2^d Sec. post p. wh.
 a Beech 15 in. diam. to N 86 E. 33 lks. x
 a Do 12 " " " S 31 W. 41 "
 53.50 Bed of Stream 12 lks wide co. North
 61.50 a Road N. & S.
 64.25 a W. Oak 30 in. diam.
 70.25 a Road N. & S.
 76.50 Bed of Stream 8 lks wide co. N. E.
 80.00 Set post Cor. to Sec. 35 & 36 p. wh.
 a Hick. 12 in. diam. to N 35 W. 30 lks. x
 a Do 12 " " " S 33 E. 92 "
 Land selling first rate
 Timber Beech, Sugar, B. Walnut Hick.
 Gum. Elm. W. & R. Oak p. not much white.

N. 89° 50' 2. On E. Boundary of Sec. 36 T. 24 N. R. 6 E.
 Variation 4° 20' East

24.40 a W. Oak 12 in. diam.
 40.00 Set 2^d Sec. post p. wh.
 a Beech 10 in. diam. to S 25 W. 22 lks. x
 a Cherry 6 " " " N 18 E. 10 "
 56.50 Enter N. Margin of Field N. & S.
 74.50 Leave Field N. & S.
 80.00 Set post Cor. to Towns 25 & 26 North
 Ranges 6 & 7 East p. wh.
 a W. Oak. 15 in. diam. to N 72 E. 68 lks.
 a Beech 20 " " " N 52 W. 53 "
 Intersected 1.20 S. of Random Cor.
 Land selling first rate
 Timber sp. same as last mile—

West Boundary.

N. 5' W. On E. Boundary of Sec. 36 T. 25 N. R. 5 E.
 30.30 a Beech 18 in. diam.
 40.00 Set 2^d Sec. post p. wh.

T. 25 N. R. 6 E. 2nd Mer. Indiana
chs. lks.

- a Beech 20 in. diam. $\frac{1}{2}$ S 80 E. 15 lks. dia
a Do 15 " " " N 82 W. 58 " "
74.00 a Road from Marion to Delfhi E & W.
80.00 Set post Cor. to Sec. 25 & 36 fr. wh.
a Beech 16 in. diam. $\frac{1}{2}$ S 65 W. 25 lks. &
a Do 12 " " " N. 30 W. 34 "

Land Soil first rate clay soil
Beech, Sycamon, W. & B. Oak, Sym. W.
Wood, Ironw. Elm. Maple, W. & B. Oak,
Buckeye & P. Ash & Spice

- N. 5 W. On E. Boundary of Sec. 25 T. 25 N. R. 5 E.
6.50 a Road N. E. & S. W.
21.95 a Sugar 8 in. diam.
39.90 Bed of Stream 15 lks. wide co. Westerly
40.00 Set 2nd Sec. post fr. wh.
a W. Oak 8 in. diam. $\frac{1}{2}$ S 30 E. 23 lks.
an Elm 15 " " " S 29 W. 47 "

- 51.50 a Road E & W.
62.35 a Sugar 8 in. diam.
80.00 Set post Cor. to Sec. 24 & 25 fr. wh.
a Beech 10 in. diam. $\frac{1}{2}$ S 37 W. 82 lks.
an Elm 12 " " " S 14 W. 50 "

Land Soil & rich first rate
Elm, Sugar, Sym. Ironw. W. & B. Oak,
Maple Beech & Sycamon B. Walnut
Unagth. P. Ash & Spice

- N. 5 W. On E. Boundary of Sec. 24 T. 25 N. R. 5 E.
24.45 a Sugar 18 in. diam.
40.00 Set 2nd Sec. post fr. wh.
a Beech 6 in. diam. $\frac{1}{2}$ S 43 E. 32 lks. &
an Ironw. 6 " " " S 43 W. 48 "
60.75 a Do 6 " "
70.00 Bed of Stream 10 lks. wide co. Westerly &
Enter old Windfall E & W.

T. 25 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

80.00 Set post Cor. to Sec. 13 & 24 p. wh.
a Beech 15 in. diam. to N 60 W. 54 lks.
a Do 12 " " " 4.63 W. 45 "

Land gently rolling fine
red clay soil - Beech W. B. Oak.
Sugar, Elm, W. Ash, Syc. Buckeye.
P. Ash & Gum - Old Windfall
grown up with Briars & Vines

N. 5 W. On E. Boundary of Sec. 13. T. 25 N. R. 5 E.

10.50 Enter Cornfield E. & W. on E. side

15.00 Leave Do

27.28 a Beech 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Sugar 12 in. diam. to S 3 W. 46 lks. &

an Elm 8 " " " N 74 W. 72 "

59.00 a Trail N. N. W.

60.50 Descend Bank soft, Leave Windfall E. & W.

61.00 a Stream 40 lks. wide co. N. N. W. rapids
and shallow gravelly Bottom

70.50 a Maple 10 in. diam.

75.50 Ascend Bank 20 feet from Creek
Bottoms E. & W.

80.00 Set post Cor. to Sec. 12 & 13 p. wh.

a Buckeye 12 in. diam. to N. 9 W. 27 lks. dis

a B. Oak 10 " " " S. 64 W. 20 " "

Land level & rich. Old Windfall
grown up with small growth of - Beech
Elm. Ironw. p. - Briars. Grape. Vine. P.
Ash and Thorn

N. 5 W. On E. Boundary of Sec. 12. T. 25 N. R. 5 E.

12.50 a Road E. & W.

18.76 an Elm 12 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. to N 23 W. 34 lks. dis

2.5 N. O. B. E. 2nd ^{11/2} Alex. Indiana
Chs. lks.

a Beech 12 in. diam. ^{11/2} 25 E. 7 lks. dir.

58.37 a W. Wood 10 " "

80.00 1st part Cor. to Sec. 1 & 12 fr. wh.

a Beech 8 in. diam. ^{11/2} 50 W. 29 lks.

a Do 12 " " " 175 W. 23 "

Lana Live rich fine rate

Beech, Sugar, Spruce, Hickory, W.

Ash, Oak, W. Wood, Iron P. &c.

Wright, P. Ash & Spruce

N. 5 W. On E. Boundary of Sec. 1. 25 N. O. B. E.

18.60 a W. Oak 18 in. diam.

40.00 1st 2nd Sec. 1st part fr. wh.

a B. Oak 8 in. diam. ^{11/2} 8 E. 23 lks.

a B. Ash 6 " " " 146 W. 20 "

50.65 a Beech 10 " "

65.50 a Trail E & W. of Enter Low Lana E & W.

76.10 Intersected at Town Corner as
previously Established fr. wh.

a W. Oak 15 in. diam. ^{11/2} 14 W. 49 lks.

a B. Ash 10 " " " 74 E. 31 "

Lana Live rich fine rate

Last part rather wet - W. & B. Ash.

Elm, Spruce, Larch, Beech, Sugar,

Iron P. &c. - Nov 1. 1846

Surveyed by John Mullitt

Depy. Surveyor.

Subdivision

North Between Sections 35 & 36 Var. 4.10 East

17.85 a Sugar 36 in. diam.

19.00 a Road bears N. E.

27.50 Pipe Creek 100 wide co. West, Low
Banks - Rapid Current

32.29 a Beech 12 in. diam.

321

125 N. R. E. 2nd Mer. Indiana

chs. lks.

- 40.00 Sel 2nd Sec. from pr. w. h.
a G. Ash 36 in. diam. l. South 10 lks.
a Beech 24 " " " N. 2nd W. 5 "
- 45.00 State Road l. E. fr. Delphi to Marion
- 61.50 a Sugar 18 in. diam.
- 69.71 a Beech 12 " " "
- 80.00 Established Cor. to Sec. 25, 26, 35 x 36 pr. w. h.
a Beech 12 in. diam. l. N. 59th E. 10 lks. x
a Do 8 " " " S. 22nd W. 24 "
- Land first 40.00 and second
rate - Last 40.00 gently rolling 2nd rate
Timber Oak, Poplar, Sugar, & Beech.
Wright, Irono. Spice & Beech.

- N. 89th 30' E. On Random Bt. to Sec. 25 x 36 Var. 4:10' E.
- 15.00 a Road bars N. 20 E.
- 22.00 Pipe Creek 100 wide course South
Low Bank, slow current
- 40.00 Sel Temp. pr. w. h.
- 80.50 Intersected E. Boundary 50 lks. N. of pr.
Land this 80.50 and second
rate - Timber W. Oak, Elm, Sugar, and
Beech. Thick Undergrowth of Spice, Irono.
and Beech

- N. 89th 51' W. Established Line Bt. to Sec. 25 x 36
- 10.53 a Beech 12 in. diam.
- 30.16 a Sugar 8 " " "
- 40.25 Sel 2nd Sec. from pr. w. h.
a Beech 12 in. diam. l. N. 41st W. 33 lks. x
a Do 24 " " " N. 64 E. 4 "
- 49.73 a Do 18 " " "
- 69.56 a Sugar 12 " " "
- 80.50 to Sec. Co.

North Between Sections 25 x 26, Var. 4:10' E.

T. 25 N. R. 6 E. 2nd Mer. Indiana

ch. lks.

- 14.50 a Branch 8 lks. wide co. W.
 17.50 County Road bars E & W.
 24.14 a Sugar 36 in. diam.
 38.00 a B. Oak 40 "
 38.50 a Willow Swamp & Shue
 40.00 1st 2nd Sec. first p. wh.
 an S. Ash 12 in. diam. & 32 lks. g lks.
 a Do 12 " " " N. 12 E. 28 "
 43.50 Lean Willow Pond to the N. W.
 51.82 an S. Ash 18 in. diam.
 53.00 a Shue extends & widens out N.
 58.00 an S. Ash 20 in. diam.
 80.00 Established Co. to Sec. 23, 24, 25, 26 p. wh.
 an S. Ash 18 in. diam. & N. 18 W. 23 lks. &
 a Do 18 " " " S. 18 E. 11 "
 Land first 38.50 1st 2nd
 rate Timber W. Oak, Elm, S. Ash, Sugar,
 & Beech. - Last 41.50 1st 2nd Second
 rate - E & W. of Shue overflowed
 Timber as before - Timber in Swamp
 S. Ash & Elm. - Underneath on dry Land
 Spruce & P. Ash.

N. 89° 51' E. On Random Butte Sec. 24 & 25
 Var. 4° 26' East

- 5.00 Lean Swamp
 40.00 1st 2nd Sec. first p. wh.
 80.60 Intersected Sec. Line 15 lks. N. of junction
 Land first 5.00 Swamp
 poor - Timber S. Ash & Elm - Last
 75.60 1st 2nd Second rate Timber
 Oak, Hickory, Sugar, Elm, & Beech.
 Thick underneath of Spruce & P. Ash.

N. 89° 38' W. Established Line Butte Sec. 24 & 25
 10.31 a Beech 12 in. diam.

T 25 N. R. 6 E. 2nd Mer. Indiana

cks. lks.

- 25.63 a W. Elm 18 in. diam.
 35.42 a Beech 14 " "
 40.30 Set 2nd Sec. post p. wh.
 a G. Ash - in. diam. B. N 28 E. W. 16 lks.
 an S. Ash - " " " S 18 W. 19 "
 50.17 a Beech 24 " " "
 65.37 a Sugar 18 " "
 80.60 to Sec. Cor.

North Between Sections 23 & 24 Var. 4.10 E

- 9.00 Clear Swamp
 21.00 a W. Elm 18 in. diam.
 25.00 Elm & Ash Swamp Extends E & W.
 31.00 an S. Elm 12 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 an S. Ash 8 in. diam. B. N 32 E. W. 27 lks.
 a Do 8 " " " S 52 W. 9 "
 42.00 Clear Swamp to the N. W.
 59.10 a Beech 12 in. diam.
 73.28 a Poplar 18 " "
 78.50 an Elm Swamp
 80.00 Established Cor. to Secs. 13, 14, 23, 24 p. wh.
 an S. Elm 6 in. diam. B. S 13 E. W. 2 lks. x
 a Sycamore 18 " " " N. 20 W. 2 "

Sand first 9.00 Swamp, third
 rate - Next 16.00 Soil second rate - Next
 17.00 Swamp, third rate - Next 36.50
 Soil second rate - Last 150 third rate
 Timber on dry Sand Oak, Poplar,
 Lym. Elm & Beech. - Timber in Swamp
 S. Ash, Elm & Sycamore - Thick
 Undergrowth on dry Sand of Spice
 and R. Ash. -

N 89.58 E On Random Betw. Secs. 13 & 24
 Variation 4.20 East

324 T. 25 N. R. 6 E. 2nd Mer. Indiana
chs. 1/2

5.00 Lean Swamp
10.00 Swamp again
29.00 Lean Swamp to the S. E.
40.00 1st Swamp, first
80.34 Intersected E. Boundary 3 lks. N. of post
Land first 5.00 Swamp
third rate - Next 5.00 2nd Second
rate - Next 19.00 third rate - Last
51.34 2nd Second rate. Timber
on dry Land Oak, Ash, Hickory,
Sugar, Elm, & Beech. Thick growth
of Spruce, Hemlock & Beech - Timber
in Swamp S. Ash, Sycamore & Elm.

48.57 W. Established Line Betw. Sec. 13 & 24
10.13 an Elm 18 in. diam.
29.72 a Beech 20 " "
40.17 1st 2nd Sec. first p. w. h.
a W. Oak 24 in. diam. to N. 42 1/2 E. 17 lks.
an Ironw. 6 " " S. 13 W. 7 "
60.18 a Beech 12 " "
71.10 an S. Elm 10 "
80.34 to Sec. Cor. April 12, 1847

North Between Sections 13 & 14 Var. 4 1/2 E.
4.00 Lean Swamp
15.46 a Beech 18 in. diam.
29.15 a Spruce 12 " "
31.40 a Do 18 " "
40.00 1st 2nd Sec. first p. w. h.
an S. Ash 8 in. diam. to S. 40 W. 17 lks.
a G. Ash 6 " " N. 16 E. 9 "
54.75 a W. Oak 24 " "
68.57 a G. Ash 20 " "
80.00 Established Cor. to Sec. 11, 12, 13, 14 p. w. h.
a W. Elm - in. diam. to N. 23 W. 14 lks.

T. 25 N. R. 6 E. 2nd Mer. Indiana
ch. lks.

an Ironw. 8 in. diam. b. 144. E. 3 lks. x
Land just 4.00 Swamp
poor - Timber S. Ash. & Elm. Last
76.00 Soil second rate - Timber
Oak, Ash, Elm, Hickory, Lym.
& Beech. Scattering Undergrowth,
& Spice, & P. Ash -

189.58 E. On Random Bats. Sec. 12 x 13
Variation 4.20 E.

38.40 a Branch 6 lks. wide co. N.

40.00 Soil Temp. 7. feet

65.00 Swamp Extends N. & S.

80.40 Interrupted E. Boundary at foot

Land just 65.00 Soil second
rate - Timber W. Oak, Hickory, Poplar,
Lym. & Beech - Undergrowth Spice & Beech.
Last 15.40 Swamp floor - Timber
S. Ash, Elm. & Maple -

189.58 W. Established Line Bats. Sec. 12 x 13

10.21 an S. Ash 20 in. diam.

25.81 an Elm 18 " "

36.10 a Beech 20 " "

40.20 Soil 2nd Sec. foot p. 100.

a S. Ash 8 in. diam. b. 15 W. 9 lks. &

a Lk 10 " " 154 W. 30 "

51.22 a Lym 30 " "

65.16 a W. Ash 24 " "

80.40 to Sec. Cor.

North Return Sections 11 x 12 Var. 4.10 E.

3.00 a Road bars E. & W.

15.00 a Beech 12 in. diam.

34.04 a Sugar 18 " "

40.00 Soil 2nd Sec. foot p. 100.

25 N. R. 6 E. 2nd Mer. Indiana
 ch. lks.

a Beech 24 in. diam. N 42 W. 23 lks. &
 a Do 18 " " " S. 89 E. 38 "
 56.10 a Do 12 " "
 67.18 a Sugar 18 " "
 70.00 a Road bars N. E.
 80.00 Established Cor. to Sec. 1, 2, 11, 12 p. wh.
 a W. Oak 18 in. diam. N. 6 W. 33 lks. &
 a Beech 18 " " " North 32 "
 Land this 80.00 Lowl Second
 rate. Timber W. Oak, G. Ash, Sycam.
 & Beech - Thick growth of Spice
 P. Ash. & Beech

189.55' E. On Random Butte Sec. 1 & 12
 Variation 4.20' East

4.00 a Road bars North
 40.00 Sel Temp. p. post
 41.50 a Branch 12 lks. wide cor. N.
 77.50 a Do 4 " " " N.
 80.37 Intersected E. Boundary 10 lks. S. of post
 Land this 80.37 Lowl 2nd
 rate. Timber W. Oak, Sycam. Sugar,
 G. Ash & Beech - Thick growth
 of Spice. P. Ash. & Beech.

189.51' W. Established Sim Butte Sec. 1 & 12
 10.67 a Beech 24 in. diam.
 31.06 a Do 18 " "
 40.18 Sel 2nd Sec. post p. wh.
 a Hickory 8 in. diam. N 32 E. 48 lks. &
 a Do 6 " " " N 58 W. 10 "
 59.41 a R. Elm 20 " "
 75.00 a Poplar 30 " "
 80.37 to Sec. Cor.

North Between Sections 1 & 2 Nor. 4.10' E.

T. 25 N. R. 6 E. 2nd Mer. Indiana. ³²⁷

cks. lks.

35.00 a Branch 4 lks. wide co. East
 40.00 Set Temp. post
 53.00 a Branch 6 lks. wide co. N. W.
 73.20 Intersected N. Boundary. 20 lks. E. of post
 cor. to Sec. 35 & 36 T. 26 N. R. 6 E.

Land this 73.50 Set Suona
 rate. Timber W. Oak, Ash, Elm, Poplar,
 Sugar & Beech - Undergrowth. Spice Shrub, & Berries.

4. 8' E. Established Line Bet^h Secs. 1 & 2
 a W. Oak 36 in. diam. b. 148 E. 51 lks.
 a Beech 12 " " " 120 W. 74 "
 13.60 a Do 12 " "
 23.19 a Sugar 12 " "
 33.20 Set 2^d Sec. post p. wh.
 a W. Oak 24 in. diam. b. 170 W. 16 lks.
 a Gum 10 " " " 119 E. 28 "
 63.10 a Beech 12 " "
 73.20 to Sec. Cor. April 13. 1847

North Between Section 34 & 35 Var. 4.10' E.

18.50 a Sugar 24 in. diam.
 34.00 a Branch 4 lks. wide co. W.
 36.84 a Sugar 24 in. diam.
 38.00 a Road cross S. E.
 40.00 Set 2^d Sec. post p. wh.
 a Beech 12 in. diam. b. 184 E. 33 lks. &
 a Hick. 6 " " " 186 W. 13 "
 51.00 State Road b. E. p. Delphi to Marion
 63.91 a Beech 30 in. diam.
 73.50 a Branch 6 lks. wide co. S. W.
 80.00 Established Cor. to Sec. 26. 27. 34. 35 p. wh.
 an H. Elm 18 in. diam. b. 130 W. 28 lks. &
 a Do 8 " " " 172 E. 11 "

Land this 80.00 gently
 rolling post rate Timber W. Oak -

T. 25 N. R. 6 E. 2nd Mer. Indiana
ch. lks.

Ash, Poplar, H. Elm, Sugar & Beech.
Thick Ungth. of Spice Ironwood
and Beech.

N 89° 30' E. On Random Betwⁿ Sec. 26 & 35
variation 4° 20' E.

- 8.00 a Branch 6 lks. wide co. S. W.
11.00 a Road bars N. 30 E.
16.00 Large Branch 15 lks. wide co. S. W.
21.00 Branch continues along N. side
of Section Line
30.00 Branch again co. N. W.
40.00 Set Temp. post
45.50 a Branch 3 lks. wide co. S.
68.50 a Do 15 " " S. 30 W.
78.50 Intersected N. & S. Line 40 lks. S. of post
Land for 2 40.00 gently
rolling first rate. Timber W. Oak
Beech, Ash, Poplar & Sugar.
Last 38.50 level second rate.
Timber W. Oak, Sugar & Beech.
Ungth. Spice & Beech scattering

N 89° 13' W. Established Line Betwⁿ Sec. 26 & 35

- 8.61 a Beech 12 in. diam.
30.17 a Sugar 24 " "
39.25 Set D^r. See post p. wh.
a Hickory 8 in. diam. N. 69° E. 9 lks.
an Ironw^d. 8 " " " 289 W. 24 "
58.06 a Beech 12 " "
65.19 a Sugar 18 " "
78.50 to E. Cor.

North Between Section 26 & 27 Var. 4° 10' E.

- 7.67 a Sugar 18 in. diam.
25.00 a Branch 3 lks. wide co. S. E.

329

T. 25 N. R. 6 E. 2nd Mer. Indiana
 chs. 11th

25.50 a Road bears E & W,
 28.05 a W. Oak 18 in. diam.
 32.10 Branch again co. S. W.
 36.00 Branch again co. S. E.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 12 in. diam. to N. 76 W. 24 lks.
 an Ironw. 8 " " " N. 79 E. 29 "
 42.00 County Road bears E & W,
 51.08 a Beech 20 in. diam.
 63.42 a G. Ash 12 " "
 80.00 Established cor. to Sec. 22, 23, 26, 27, p. wh.
 a W. Oak 8 in. diam. to N. 55 E. 24 lks.
 a Hick. 8 " " " North 21 "
 Land first 4000 Lnd first
 rate. Timber W. Oak, Ash, Beech,
 Poplar & Lym. Last 4000 Lnd
 second rate. Timber Oak, Ash, Hick.
 & Beech. Thick Undergrowth throughout
 of Spruce, Ironw. & Beech

N. 89.13 E. On Random Bets to Sec. 23 & 26
 Variation 4.20' E.

40.00 Set Temp. post
 65.00 an Ash & Elm Swamp
 78.78 Intersected N. & S. Line 10 lks. N. of post
 Land first 65.00 lnd 2nd
 rate. Timber Oak, Ash, Hickory,
 and Beech, Last 18.00 Swamp
 poor. Timber Ash, Elm, & Maple
 Undergrowth on dry Land Spruce
 P. Ash and Briers

N. 89.17 W. Established Line Bets to Sec. 23 & 26
 13.26 an S. Ash 18 in. diam.
 29.03 a Beech 12 " "
 39.39 Set 2nd Sec. post p. wh.

T 25 N. R. 6 E. 2nd Mer. Indiana
cho. lks.

a G. Ash 24 in. diam. N 48 W. 39 lks.
a Beech 12 " " S 40 W. 36 "
48.56 a G. Ash 18 " "
69.13 a Beech 24 " "
74.21 a Sugar 12 " "
78.78 to Sec. Cor.

N. 20' W. Between Sections 22 & 23 Var. 4' 10' E.

436 a Burr Oak 36 in. diam.
17.24 a R. Elm 24 " "
33.78 a Poplar 30 " "
40.00 Set 2nd Sec. post pr. wh.
a W. Oak 6 in. diam. S 89 W. 22 lks.
a W. Beech " " N 88 E. 11 "
43.00 a Branch 4 lks. wide co. N 10 E.
70.50 a Large Branch 20 lks. wide co. W.
73.00 a Branch 15 lks. wide co. E.
79.00 Branch again co. W.
80.00 Established Cor. to Secs 14, 15, 22, 23, pr. wh.
a G. Ash 10 in. diam. to N 45 E. 30 lks.
a Maple 24 " " S 35 W. 3 "

Land this 8⁰⁰00 Lure 2nd
rate - Timber W. Oak, G. Ash, Hickory,
Poplar, & Beech. - Thick Undergrowth
of Spice P. Ash. Ironw. & Beech.

N 89.17' E. On Random Betw. Secs. 14 & 23

Variation 4' 20' E.

3.50 a Branch 15 lks. wide co. S 70 W.
40.00 Set Temp. post
60.00 an Elm Swamp extends N & S.
65.00 Clear Swamp
75.00 Elm & Ash Swamp, extends S & E.
79.00 Intersected N & S Line 8 lks. N. of post
Land first 65.00 Lure
separate - Timber W. Oak, Sugar,

331

T. 25 N. R. 6 E. 2nd Mer. Indiana

Chs. 16.

Lynn, Hickory, & Beech. - Next 5.00 Surf.
Third rate - Next 10.00 Low Second
rate - Timber as before - Last 4.00
Swamp Third rate - Timber in Surf.
Elm. & Ash - Thick growth on
dry Land of Spruce & Ash
Apr. 14. 1847.

48920 W. Established Line Bet. Sec. 14 & 23
19.00 a Lynn 12 in. diam.
34.41 a Beech 18 " "
39.50 Established 2nd Section p. wh.
a Beech 30 in. diam. to N. 65th W. 15th N.
a Sugar 8 " " " S. 36 W. 12 "
64.18 a Beech 12 " "
79.00 to Sec. 20

N. 20th W. Between Sections 14 & 15 Var. 4th 10' E.
8.31 a W. Oak 24 in. diam.
20.00 a Road cross W.
25.00 Elm & Ash Swamp. Extends E. & W.
38.00 Low Swamp
40.00 Set 2nd Section p. wh.
a W. Oak 18 in. diam. to N. 47th E. 8th N.
a Do 18 " " " S. 16 W. 23 "
58.00 Outlet from Pond E. to one W.
62.00 East End of Willow Pond
67.00 Low Willow Pond
69.41 a Beech 20 in. diam.
80.00 Established cont. to Sec. 10, 11, 14, 15 p. wh.
a Beech 20 in. diam. to S. 84 E. 13th N.
a Do 8 " " " S. 16 E. 19 "
Land first 25.00 low 2nd
rate - Timber W. Oak, Sugar, Lynn, &
Beech. Next 13.00 Swamp Third rate.
Next 20 Low Second rate - Timber

T. 25 N. R. 6 E. 2nd Mer. Indiana
Ch. 116.

as before. Next 5.00 Swamp poor
Last 13.00 gently rolling fine rate
Timber Oak, Ash, Poplar, Walnut
and Beech. Undergrowth on dry
Land Spice, P. Ash, & Beech.

189.20' On Random Butte Sec. 11 & 14
Variation 420' East

16.50 Elm & Ash Swamp.
22.00 Lean Swamp to the N.E. & S.E.
40.00 Set 2nd Sec. poor
54.00 a Road bars N.E.
80.50 Intersected N.E. Line 15 Mer. S. of line
Land first 16.50. Live
Second rate. Next 6.00 Swamp
poor. Last 58.50 Live Second
rate. Timber on dry Land W. Oak
& Ash, Elm & Beech. Undergrowth
Spice, P. Ash, & Beech. Timber in
Swamp Elm & Ash.

189.14' Established Line Butte Sec. 11 & 14

10.62 a Beech 12 in. diam.
30.75 a R. Elm 20 " "
40.25 Set 2nd Sec. poor p. wh.
a Lym 30 in. diam. N.E. 9 lbs.
a Do 24 " " S.W. 26 "
49.83 a Beech 12 " "
69.54 a Lym 18 " "
80.50 to Sec. Cor.

N. 20' W. Between Sections 10 & 11. Var. 410' E.

15.21 a Beech 18 in. diam.
23.30 a Sugar 24 " "
34.10 a Lym 12 " "
40.00 Set 2nd Sec. poor p. wh.

T. 25 N. R. 6 E. 2nd Mer. Indiana 333

ch. lks.

- a Sugar 12 in. diam. b. N. 24 W. 17 lks. &
 u Do 12 " " " N. 82 E. 38 "
 44.70 a Poplar 24 " "
 55.00 a Branch 10 lks. wide co. N. E.
 66.00 a Road bars N. W.
 67.40 a Sugar 30 in. diam.
 80.00 Established Cor. to Sec. 2, 3, 10, 11. p. wh.
 a Sugar 12 in. diam. b. N. 86 W. 28 lks. &
 a Buckeye 12 " " " N. 68 E. 22 "
 Land this 80.00 Level
 Second rate - Timber W. Oak, Sugar,
 Sym. G. Ash. & Beech - Thicket
 Mndgth of Spruce, P. Ash, Ironwood & Beech

N. 89.4 E. On Random Betw. Sec. 2 & 11
 Variation 4.20 E.

- 8.00 a Branch 15 lks. wide co. N.
 15.00 a Road bars N. E.
 40.00 Set Temp. post
 48.00 Elm & Ash Swamp. Extends N. & S.
 65.00 Clear Swamp
 80.60 Intersutia N. & S. Line 39 lks. N. of post
 Land first 48.00 Level 2nd
 rate - Timber W. Oak, Sugar, Sym.
 & Beech - Next 17.00 Swamp. Poor
 Timber G. Elm, Ash & Maple. - Last
 15.60 Level Second rate - Timber
 W. Oak, G. Ash, Sugar, & Beech -
 Mndgth. Spruce & Beech. Scattering

N. 89.32 W. Established Line Betw. Sec. 2 & 11

- 10.31 a Beech 20 in. diam.
 31.16 a B. Oak 18 " "
 40.30 Set 2nd Sec. post p. wh.
 a Hickory 12 in. diam. b. N. 75 E. 5 lks.
 an G. Ash 24 " " " N. 75 W. 35 "

T. 25 N. R. 6 E. 2nd Mer. Indiana
chalks.

56.00 a Poplar 18 in. diam.
65.28 a Lym 24 " "
75.15 a Beech 20 " "
80.60 to Sec. Cor.

North Between Sections 2 & 3 Var. 4.10 E.

6.50 a Road bars N. E.
11.50 a Branch 4 lks. wide co. N. E.
13.50 East Side of Field
15.50 Leave Field
20.00 a Branch 10 lks. wide co. N. W.
72.80 Intersited N. Boundary 29 lks. E. of post
Land this 72.80 Live
Second rate - Timber W. Oak,
Beech, Sugar, G. Ash, Hickory,
Lym, Poplar, - 11 my th. Spruce
Horn? & Beech. Scattering -

S. 17 E. Established Line Betw. Secs. 2 & 3.

a Beech 12 in. diam. to S. 6 1/2 E. 15 lks.
a Buckeye 10 " " " S. 65 N. 48 "
15.20 a Sugar 18 " "
32.63 a Beech 20 " "
32.80 Set Dr. Sec. post p. wh.
a Sugar 12 in. diam. to S. 11.23 lks.
a Beech " " " N. 81 W. 15 "
53.16 a Sugar 18 " "
63.09 a Beech 24 " "
72.80 to Sec. Cor. April 15, 1847

N. 20 W. Between Sections 33 & 34 Var. 4.10 E.

5.00 Leave out Land
9.00 Road bars E. & W.
10.91 a Sugar 24 in. diam.
28.00 a Burr Oak 36 " "
36.00 a Beech 10 " "

T. 25 N. R. 6 E. 2nd Mer. Indiana
chs. lks.

- 39.50 a Branch 3 lks. wide co. W.
40.00 Set 2^d Sec. post p. w. h.
a Beech 10 in. diam. b. N. 30 W. 18 lks. &
a W. Elm 14 " " " N. 47 E. 18 "
52.82 a Sugar 24 " "
57.00 State Road b. E. fr. Delphi to Marion
65.21 a Beech 24 in. diam.
80.00 Established Cor. to Sec. 27, 28, 33 & 34 p. w. h.
a Sugar 24 in. diam. b. N. 15 W. 34 lks. &
a Beech 12 " " " N. 76 E. 52 "

Land first 5.00 wt poor
second rate. Next 35.00 Low second
rate Timber W. Oak, Hickory, Sugar,
and Beech. Last 40.00 gently
rolling second rate. Timber W. Oak,
Poplar, G. Ash, Sugar, & Beech. - Timber
in Swamp S. Ash, Elm, & Burr Oak,
scattering Undergrowth of Hickory & Beech.

18930 E On Random Betw. Sec. 27 & 34
Variation 4.30 East

- 30.50 Pipe Creek 75 lks. wide co. N. 15 W.
Low Banks, rapid current
36.00 Pipe Creek again 100 wide co. S. W.
Low Banks, slow current
40.00 Set 2^d Sec. post
42.00 Pipe Creek again, 70 lks. wide co. N. 30 W.
Low Banks, rapid current
45.00 Gently rolling Land
79.78 Intersecta N. & S. Line 43 lks. N. of post
Land first 30.50 gently rolling
good second rate Timber W. Oak, Sugar,
Ash, Poplar & Beech. - Next 14.50 Low
Bottom Land - rich soil - Timber Oak,
Buckeye, Hackberry Elm, & Beech -
Last 34.78 gently rolling first rate

T. 25 N. R. 6 E. 2nd Mer. Indiana

cho. lks.

Timber Oak. Poplar. G. Ash. Sugar.
 & Beech - Unagth. Spruce & Beech.
 Scattering

89.48 W. Established Line Betw. Sec. 27 & 34.

5.00 a Beech 12 in. diam.

30.09 a W. Elm 18 " "

39.89 Set 2nd Sec. post p. wh.

a Buckeye 12 in. diam. to N 23 E. 25 lks. &

a W. Beech 6 " " " 48 1/2 W. 29 "

51.74 a W. Beech 8 " "

74.32 a Beech 30 " "

79.98 to Sec. Cor.

1. 20 W. Between Sections 27 & 28 Var. 4.10 E.

3.00 Descent of 10 ft. Elev. 60 to Low
 Bottom Land

5.00 a Branch 4 lks. wide co. N. E.

8.31 a Beech 24 in. diam.

18.43 a Do 24 " "

22.00 a Creek 25 lks. wide co. N. E.

Low Banks, slow current

25.50 a Road cross N. E.

31.00 Pipe Creek 75 lks. wide co. W. & L

Rapid current - N. Bank 15 ft

32.00 Ascent of Bluff Bank Elev. 60

33.00 Summit

40.00 Set 2nd Sec. post p. wh.

a Buckeye 8 in. diam. to N 88 1/2 W. 5 lks.

a Cherry 8 " " " 22 1/2 E. 13 "

48.61 a Beech 12 " "

63.09 a Sugar 14 " "

74.00 a Beech 24 " "

80.00 Established Cor. to Sec. 21, 22, 27, 28. p. wh.

a Beech 12 in. diam. to N 41 W. 12 lks.

a Do 14 " " " 32 1/2 E. 18 "

Counted

337

T. 25 N. R. 6 E. 2nd Mer. Indiana
Chs. 116.

Land first 3.00 Low second
rate Next 29.00 Low Bottom Land
rich soil - Timber Oak. Buckeye.
Lynn. Hackberry & Beech.
Last 47.00 Low second rate -
Timber Oak. Ash. Lynn. & Beech.
Width. Spice Ironwood & Beech.

1894¹/₂ Ch. Random Butte Sec. 22 x 27
Variation 4.30 East
7.50 County Road brass N. & S.
21.00 Road brass S. 50 E.
27.00 a Branch 6 in. wide ca. N. W.
40.00 Set Temp. 4. post
79.90 Intersected N. & S. Line 10 Mer. N. of line
Land this 79.90 Low
second rate - Timber W. Oak, Elm,
Sugar, & Ash. - Width. Spice
& Ash & Beech - scattering -

1895¹/₂ W. Established Line Butte Sec. 22 x 27
18.91 a Beech 36 in. diam.
30.07 a Sugar 20 " "
39.95 Set 12¹/₂ Sec. post from
a Beech 14 in. diam. to N. E. 48 lks. x
an Ironwood 8 " " " S. 65¹/₂ W. 14 "
49.73 a Beech 12 " "
65.06 a Do 18 " "
79.90 to Sec. Cor.

N. 20 W. Between Section 21 x 22 Var. 4.10 E.
15.61 a Beech 12 in. diam.
21.50 Clearing not fenced in. 2000 Log
Cabin one 3.00 E. the other 4.00 West
30.00 Clear Clearing
32.21 a Beech 12 in. diam.

T. 25 N. R. 6 E. 2nd Mer. Indiana

Chs. lks.

- 38.00 a Branch 4 lks. wide co. N 10 E.
 40.00 S&L 2nd Sec. 1st p. wh.
 a Walnut 10 in. diam N 35 W. 20 lks.
 a W. Oak 8 " " " S 19 E. 20 "
 49.50 a Branch 6 lks. wide co. N. W.
 52.00 a Do 10 " " " " N. W.
 54.00 West part of Grecks Farm
 56.00 East 7.00 Log House
 66.50 Leav Farm
 71.08 a Sugar 24 in. diam.
 80.00 Established Cor. to Sec. 15, 16, 21 & 22 p. wh.
 an Ironw^d 10 in. diam. E. N 47 W. - lks.
 a Do 8 " " " " S 70 E. - "
 Land this 80.00 Level 2nd
 rate - Timber W. Oak, Hickory & -
 Ash, Sugar, & Beech. - Width.
 Spice Ironw^d & Beech -

N 49.52 E. On Random Betwth Sec. 15 & 22
 Variation 4.30 E.

- 5.50 County Road across S 5 E.
 40.00 S&L Temp^y. 1st
 54.00 a Branch 10 lks. wide co. S. 20 E.
 61.00 North 1.00 S. W. Co. of Clark Kelly's
 Improvement
 72.00 North 7 5 lks. S. E. Cor. of Improvement
 80.50 Intersected N. W. Line 39 lks. S. of 1st
 Land this 80.50 Level
 second rate - Timber W. Oak, Beech,
 Hickory, Sugar, & Lyrin. - Thick
 Width. of Spice P. Ash & Beech.

N 49.36 W. Established Line Betwth Sec. 15 & 22

- 10.18 a Beech 20 in. diam
 30.63 a W. Oak 18 " "
 40.25 Established 2nd Sec. 1st p. wh.

339

T. 25 N. R. 6 E. 2nd Mer. Indiana
 chs lks.

an Ironw^d. 4 in. diam. to N. 24¹/₂ W. 10 lks. x
 a Walnut 24 " " " S. 9¹/₂ E. 13 "
 50.75 a Beech 24 " "
 63.31 a Lymn 18 " "
 75.00 a Sugar 20 " "
 80.50 to Sec. Cor. April 16. 1847

N. 20th Between Sections 15 & 16 Var. 4¹/₂ E.

9.00 a Branch 6 lks. wide co. N. W.
 13.00 a Sugar 24 in. diam.
 19.00 a Road bears N. E.
 27.82 a Hickory 24 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a W. Oak 10 in. diam. to N. 19¹/₄ E. 29 lks. dis.
 a Hick^y 18 " " " N. 37 W. 33 " "
 58.34 a Burr Oak 36 " "
 60.00 East end of Large Elm. Ash. Cedar
 & Maple Swamp. Extends W.
 69.00 Clear Swamp. water 2 ft. deep.
 80.00 Established Cor. to Sec. 9, 10, 15, 16. p. wh.
 a W. Oak 24 in. diam. to N. 11¹/₂ W. 30 lks. dis.
 a Gro. Ash 10 " " " N. 31¹/₂ E. 60 " "

The Swamp at 60.00 is called
 the Panther Swamp, and has an Outlet
 North, 10 lks. wide - bears N. E.

Land first 60.00 level Second
 rate - Timber W. Oak. Sugar. Beech.
 Lymn & Elm. - Next 9.00 Ash Elm. Maple.
 & Alder. Swamp. poor - Last 11.00 level
 inclined to be wet poor Second rate
 Timber W. Oak. Elm. Gro. Ash. Lymn.
 & Maple - Underneath on dry Land
 Spruce. P. Ash. & Beech

N. 29³⁰ E. On Random Bet^h. Sec. 10 & 15
 Variation 4.30 East

340

T. 25 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

40.00 Sel. Temp. 1/2 post

58.00 a Branch 10 lks. wide co. North

80.56 Intersected N. & S. Line 20 lks. S. of post

Land this 80.56 Level
 second rate - Timber W. Oak. Sycam.
 Sugar. G. Ash & Beech - Thick
 Undergrowth of Spice, P. Ash & Beech -

189.25 W. Established Line Betw. Secs. 10 & 15

11.06 a Beech 18 in. diam

30.61 a G. Ash 12 " "

40.28 Sel 2nd Sec. post p. 100 h.

a R. Elm 10 in. diam. to N. 25 E. 54 lks.

a Do 8 " " " N. 87 W. 17 "

49.81 a Beech 12 " "

70.18 a Sycam 20 " "

80.56 to Sec. Cor.

N. 20 W. Between Sections 9 & 10

Variation 4.10 E.

15.00 a W. Oak 18 in. diam.

31.33 an Ironw. 10 "

40.00 Sel 2nd Sec. post p. 100 h.

a Beech 18 in. diam. to N. 25 E. 54 lks.

a Burr. Oak 40 " " " N. 43 W. 21 "

51.23 a Sugar 10 " "

76.15 a G. Ash 12 " "

80.00 Established Cor. to Secs. 3, 4, 9, 10 p. 100 h.

a R. Oak 10 in. diam. to N. 1 W. 58 lks.

a Beech 17 " " " N. 77 W. 27 "

Land this 80.00 Level second
 rate - Timber W. Oak, Hick. Elm, Sugar
 and Beech - Scattering Undergrowth
 of Spice & Beech.

189.30 E. On Random Betw. Secs. 3 & 10 Var. 4.30 E.

T. 25 N. R. 6 E. 2nd Mer. Indiana

Chs. lks.

- 4.50 a Road bars North
 40.00 1st Temp'y. post
 52.00 a Branch 6 lks. wide co. N.
 74.00 a Road bars S. E.
 81.00 Intersected N. & S. Line 4 lks. N. of post
 Land this 81.00 1st second
 rate. Timber W. Oak, Sugar, Hickory
 Lym. & Beech - Undergrowth. Spice
 Snow² & Beech. - Scattering

- 89.32¹/₂ W. Established Line Betw. Secs. 3 & 10
 10.83 a Beech 12 in. diam.
 24.07 a Sugar 18 " "
 40.50 1st 2nd Sec. post p. w. h.
 a Beech 10 in. diam. E. N. 13¹/₂ W. 25 lks. N.
 a No 10 " " " S. 40 W. 38 "
 50.24 a No 20 " "
 66.17 a Sugar 12 " "
 81.00 to Sec. Cor.

- N. 20¹/₂ W. Between Section 3 & 4 Bar. 4¹/₂ E.
 10.00 a Road bars N. W.
 12.00 1st. Brown's improvement
 20.00 Lean Improvement
 22.00 a Branch 15 lks. wide co. N. E.
 32.00 a Road bars N. E.
 40.00 1st Temp'y. post
 62.00 a Road bars N. E.
 71.75 Intersected S. Boundary of Sec. N. 5.
 Known as the twin Spring Section -
 73.00 Intersected Temp'y. Line 35 lks. W. of
 Temp'y. post in Sec. N. 5. for Cor. to Sec.
 33. & 34 - T. 26 N. R. 6 E.
 Land this 71.75 1st second
 rate. Timber W. Oak, Beech. Sugar,
 & G. Ash. - Thick Undergrowth of Spice P.

T. 25 N. R. 6 E. 2nd Mer. Indiana
ch. lks.

Ash. Ironw. & Beech

East from post on S. Boundary.
Line of Sec. N^o 5. 31.45 to S. E. Cor. of
Sec. N^o 5. - West from post in South
Boundary. 57.50 to S. W. Cor. of Sec. N^o 51. 16th. Established Line Between Sec. 3 & 41.25 Set post on S. Boundary of Sec. N^o 5 p. wh.
a Beech 24 in diam. b. 27th N. 13 lks. &
a Do 10 " " " 47 E. 31 "

11.17 a Do 20 " "

26.10 a Sugar 12 " "

31.75 Set 2nd Sec. post p. wh.
a Beech 8 in diam. b. 24 E. 40 lks. &
a Do 12 " " " 46 W. 46 "

53.18 a Sugar 12 " "

73.00 to Sec. Cor. April 17. 1847

N. 2nd W. Between Sections 32 & 33 Var. 4.10 E.

4.40 a Lym 36 in. diam.

19.37 a Beech 12 " "

31.56 a G. Ash 18 " "

40.00 Set 2nd Sec. post p. wh.
a Poplar 10 in. diam. b. 32 W. 20 lks. &
a Beech 10 " " " 85 E. 8 "62.50 State Road from Delphi to Marion
bars 85 E.

63.50 a Poplar 36 in. diam.

71.03 a Beech 12 " "

80.00 Established Cor. to Sec. 28. 29. 32. 33 p. wh.
a Poplar 20 in. diam. b. 59 W. 19 lks. &
an Ironw. 8 " " " 85 E. 13 "Land first 40.00 had second
rate - Heavy timber - W. Oak. Sugar. Beech.
Poplar. Lym & Elm. - Thick Undergrowth of
Spice. Ironw. & Beech. - Last 40.00

343

25 N. R. E. 2nd Mer. Indiana
 chs. lks.

Level open Second rate Sugar-
 Timber Oak, Sugar. & Beech.
 Undergrowth Spice, Ironwood & Beech. Scattering

N. 89° 30' E. On Random Betw. Sec. 28 & 33

Variation 4° 30' East

17.00 a Branch 3 lks wide co. North

35.00 a Road bears N 20 W.

40.00 1st Temp. post

56.00 Descent of hill Elev. 50°

56.75 Foot of Hill.

57.00 North 1.00 Large Sulphur Spring

60.00 a Creek 25 lks. wide co. North

63.00 Ascent of hill Elev. 60°

63.50 Summit

79.75 Intersected N. & S. Line 6 lks. S. of post

Land first 40.00 Level Second
 rate - Last 39.75 rolling Second rate
 Timber throughout W. Oak, Sugar,
 G. Ash, Elm & Beech - Undergrowth
 Spice, Ironwood & Beech - Scattering

N. 89° 02' W. Established Line Betw. Sec. 28 & 33

10.14 a Beech 36 in. diam

25.08 a Do 12 " "

35.61 a W. Elm 18 " "

39.85 1st 2nd Sec. post post.

a Beech 10 in. diam. N. 28° W. 14 lks.

a Do 8 " " " N 47° E. 17 "

48.10 a Lyrum 18 " "

60.00 a G. Ash 20 " "

74.86 a Beech 12 " "

79.75 to Sec. Cor.

N. 20° W. Between Section 28 & 29 Var. 0.50

11.50 East end of Haul. Hartmans Improvement.

344

1.25 N. R. & E. 2nd Mer. Indiana
chs. lks.

- Log House on W. end
16.00 Slave Improvement
18.27 a Beech 20 in. diam.
35.78 a W. Elm 20 " "
40.00 Set 2nd Sec. for p. wh.
a Walnut 8 in. diam. to S. 64 W. 16 lks. &
an Ironw. 8 " " " N. 35 E. 15 "
57.50 a Branch 6 lks. wide co. N. E.
60.00 Road Forks off N. W. & N. E.
61.41 a Sugar 18 in. diam.
62.00 Gradual descent of Land
64.00 Low Bottom Land
72.00 Pipe Creek co. West Low
Banks. slow current
73.00 Near Pipe Creek
77.50 Ascent of Land Elev. 60 ft. height 10 ft.
80.00 Established Co. to Secs. 20. 21. 28. 29. p. wh.
an Ironw. 8 in. diam. to N. 60 E. 20 lks. &
a Beech 12 " " " N. 64 W. 30 "

Land first 62.00 rolling
second rate. Timber W. Oak. Sugar,
Hickory, Poplar, Ironw. & Beech.
Next 15.50 Low Bottom Land. Rich
Soil. Subject to Inundation. Timber
Buckeye, Gum, Elm, & Beech.

Last 2.50 Soil second rate. Timber
as before. Ungr. Spruce Ironw. &
Beech scattering

189 E. On Random Betw. Secs. 21 & 28
Variation 4° 30' East

- 3.00 a Road bears North
40.00 Set Temp. for
70.00 Willow Pond
77.00 Near do
79.79 Intersected by S. Line 10 lks. N. of pond

345

T. 25 N. R. 6 E. 2nd Mer. Indiana
chs. lks.

Land first 7000 level second
rate - Timber W. Oak, W. Elm, Sugar,
Hornb. & Beech. Next 700 Swamp
poor. Last 279 level second rate
Timber as before - Undergrowth,
Spice, Hornb. & Beech

489.5 W. Established Line Btr. Sec. 21 & 28
14.96 a Beech 30 in. diam
33.00 a W. Elm —
39.89 Set 2nd Sec. post p. wh.
a Burr Oak 36 in. diam. to N. 5 E. 37 lks.
a Hickory 8 " " N. 5 W. 10 "
49.21 a Do 12 " "
69.51 a Beech 20 " "
79.79 to Sec. Cor.

N. 20th Between Sections 20 & 21 Var. 420' E.
9.63 a Beech 18 in. diam
24.39 a Do 20 " "
26.00 Ascent 10 ft. to Low Bottom Land
30.00 a Branch 6 lks. wide co. S. W.
34.00 Gradual Ascent of Land 8 ft
40.00 Set 2nd Sec. post p. wh.
a G. Ash 8 in. diam. to N. 23 E. 9 lks. dis
a Mulberry 6 " " " N. 7 3/4 W. 16 " "
43.75 a W. Oak 30 " "
68.00 West 100. S. E. Cor. of Benj. Millers
Farm contains 30 Acres & Log Cabin
77.00 Road bars E. from Improvement
80.00 Established Cor. to Sec. 16, 17, 20, 21, p. wh.
a Beech 20 in. diam. to N. 45 E. 1.15 lks. x
a Do 20 " " " N. 44 E. 1.38 "
Land first 2600 gently
rolling second rate - Timber W. Oak
W. Elm, G. Ash, Sugar, & Beech. Next

T. 25 N. R. 6 E. 2nd Mer. Indiana
Chs. Wks.

8.00 Low Bottom - rich soil - Timber
Hackberry, Lym. Buckeye, & Beech.
Last 46.00 Low second rate -
Timber W. Oak, Sugar, Lym. Hickory,
& Beech. - Thin Mndgth. of
Spice & Beech -

189th E. On Random Betw. Sec. 16 & 21

3.00 a Road bars N. 20 W. - Var. 4.30 E.
10.50 a Branch 3 lks. wide co. North
12.00 Road bars N. E.
40.00 Set Temp. post
46.50 a Creek 25 lks. wide N. W.
57.00 Road bars N. 60 W. to Improvement
79.50 Intersected by S. Line 20 lks. N. of post
Land this 79.50 Low
second rate - Timber W. Oak, Sugar,
Hickory, Ironw. G. Ash, & Beech -
Thick Mndgth of Spice Ironwood
and Beech -

189th g' W. Established Line Betw. Sec. 16 & 21

10.15 a Beech 12 in. diam.
33.61 a Sugar 20 " "
39.75 Set 2nd Sec. post pr. wh.
a W. Oak. 36 in. diam. N. 15 W. 23 lks &
a Lym. 12 " " S. 35 W. 15 "
50.46 a Beech 20 " "
64.91 a Lym. 18 " "
79.50 to Sec Cor.

N. 20 W. Between Section 16 & 17 Var. 4.20 E.

10.00 Lean N. E. Cor. of Improvement
16.00 a Creek 25 lks. wide co. N. W.
19.00 Cornfield
26.00 Lean Cornfield

347

T. 25 N. R. 6 E. 2nd Mer. Indiana

ch. lks.

- 35.00 a Walnut 24 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a W. Elm 10 in. diam. to N 58¹/₂ W. 24 lks
 a Do 8 in. " " N 81¹/₂ E. 12 "
 45.50 a Branch 4 lks. wide co. N. W.
 61.52 a Poplar 18 in. diam.
 63.50 a Branch 3 lks. wide co. N. W.
 68.00 a Hickory 18 in. diam.
 80.00 Established Cor. to Sec. 8, 9, 16, 17 p. wh.
 a Hickory 20 in. diam. to S 62¹/₂ W. 17 lks. &
 an Ironw^d 8 " " " N 29¹/₂ E. 21 "

Land this 8⁰⁰00 Set second
 rate - Timber W. Oak, Hickory, Sugar,
 Poplar, Ironw^d, & Beech - Scattering
 Undergrowth of Spice Ironw^d & Beech

N 89¹/₂ 20¹/₂ E. On Random Betwth Sec. 9 & 16,
 Variation 4³⁰ E.

- 8.50 a Willow Swamp
 16.00 Clear Swamp
 23.50 a Road bars N. from Improvements
 40.00 Set 2nd Sec. post p. wh. Temp^{ly}
 79.50 Intersected N. 9¹/₂ line 3 lks. N. of post

Land first 4⁰⁰00 but first
 rate - Timber W. Oak, Sugar, Poplar,
 Walnut & Beech - Last 39.50 Set
 second rate - Timber W. Oak, Elm,
 Hickory, Sugar, & Beech - Undergrowth
 Spice, Ironw^d & Beech - Scattering

N 89¹/₂ 21¹/₂ E. Established Line Betwth Sec. 9 & 16.

- 9.89 a Sugar 36 in. diam.
 30.19 a Beech 12 " "
 39.75 Established 2nd Sec. post p. wh.
 a Beech 20 in. diam. to S 59¹/₂ W. 32 lks. &
 an Ironw^d 8 " " " N 51¹/₂ W. 24 "

T. 25 N. R. 6 E. 2nd Mer. Indiana

Chs. 16.

50.31 a Sugar 12 in. diam.
 65.00 an Iron 10 " "
 79.50 to Sec. Cor.

N. 20th B. 10th Sec. 8 & 9. Var. 4.20 East

11.50 a Road bars N. E.

12.00 a W. Elm 24 in. diam.

28.16 a W. Oak 24 " "

36.00 a G. Ash 18 " "

40.00 Set 2nd Sec. post p. 10th.a R. Oak 12 in. diam. N. 31st W. 11 lbs. da L. 24 " " " N. 33rd E. 18 "

48.76 a Beech 20 " "

63.27 a Poplar 30 " "

72.00 a Beech 20 " "

80.00 Established Cor. to Sec. 4, 5, 8, 9. p. 10th.a Beech 12 in. diam. N. 42nd E. 20 lbs.a Poplar 36 " " " N. 33rd W. 18 "

Land first 40.00 Live
 second rate - Timber W. Oak, Sugar
 Poplar, & Beech - Last 40.00 More
 open poor second rate - Timber
 W. Oak, R. Oak, Hickory, Sugar,
 Hickory & Beech - Under 10th Spruce
 & Beech - scattering

N. 20th E. On Random B. 10th Sec. 4 & 9

Variation 4.30 East

38.00 a Road bars N. E.

40.00 Set Temp. post

56.00 a Road bars N. E.

72.00 a Branch 10 lbs. wide co. N

79.40 Intersected N. S. Line at post

Land this 79.40 Live open
 second rate - Timber W. Oak, Poplar,
 Sugar, G. Ash, & Beech - scattering Spruce.

T25 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

189.20th Established Line Betw. Sec. 42 & 939.70 Set 2nd Sec. post p. wh.
a Beech 18 in. diam. N. 58 W. 41 lks.
a Hickory 24 " " " 46 E. 9 "

49.63 a Sugar 10 " "

65.17 a Beech 18 " "

79.40 to Sec. Cor.

N. 20 W. Between Sections 425 Var. 420 E.

10.00 1.00 W. East end of Large Willow
Pond extends S.W.

40.00 Set Temp. post

41.00 Rolling Land

58.00 a Branch 6 lks. wide co. N. 20 W.

72.00 a dry Branch co. N. W.

73.42 Intersection N. Boundary 25 lks. W. of post
Cor. to Sec. 32 & 33 T26 N. R. 6 E.

Land first 41.00 Lure second
rate - Timber W. Oak, Sugar, Elm, Hickory,
& Beech. Last 32.42 gently rolling
good second rate - Timber W. Oak,
Walnut, Sugar, Poplar, & Beech -
Undgth. Spruce, scattering -

S. 11 E. Established Line Betw. Sec. 42 & 5

* 13.22 a Sugar 18 in. diam. } Beech 14 S. 8 W. 32 lks.

22.16 a " 20 " " } Buckeye 12 N. 63 W. 69 "

33.42 Set 2nd Sec. post p. wh.

a Beech 14 in. diam. N. 43 W. 2 lks. &

a W. Oak 18 " " " N. 63 W. 29 "

52.10 a Beech 24 " "

63.00 a R. Elm 12 " "

73.00 to Sec. Cor. April 19. 1847

North Between Sec. 31 & 32 Var. 410' East

9.44 a Sugar 12 in. diam.

T. 25 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

- 18.25 a Hickory 18 in. diam.
 36.00 a Beech 24 " "
 37.00 a Branch 6 lks. wide c. N. E.
 40.00 Set 2nd Sec. post p. wh.
 a Hickory 20 in. diam. to N 50 W. 22 lks. &
 a Do 18 " " " 20 W. 16 "
 58.06 a Sugar 10 " "
 68.00 State Road from Selfie to Marion
 bars E. & W.
 73.31 a W. Oak 18 in. diam.
 80.00 Establish Cor. to Sec. 29, 30, 31, 32, p. wh.
 a G. Ash 12 in. diam. to N 89 E. 40 lks.
 an Ironw^d 8 " " " 18 W. 19 "
 Land this 80.00 Set 2nd
 rate - Timber W. Oak, G. Ash, Sugar,
 & Beech - Thick Undergrowth of Spice
 Ironw^d & Beech.

N 89.30 E. On Random Butte: Sec. 29 & 32,
 Variation 4.30' East

- 19.00 Present of Land 10th of 60th to
 Low Bottom Land
 22.50 Creek 50 lks. wide c. North
 24.00 Iron Ore - Bank 6 ft in high
 25.00 Road bars North
 40.00 Set Temp. post
 50.00 Willow Swamp - water 2 ft deep -
 59.00 Clear Willow Swamp
 79.79 Intersutia N 4. S. Sim at post
 Land first 1900 had second
 rate - Timber W. Oak, Beech, G. Ash, Sugar
 Next 500 Low Bottom, rich soil
 Timber Buckeye, Hackberry Gum &
 Beech - Last 55.79 Set second rate -
 Timber W. Oak, Sugar, Beech & G. Ash -
 Undergrowth, Spice, Beech & Ironw^d

351

T25 N. R. 6 E. 2nd Mer. Indiana

ch. lks

189.30 W. Established Line Betw. Sec. 29 & 32

8.50 a Beech 20 in. diam.

30.61 a Sugar 12 " "

39.89 Set D. Sec. post pr. wh.

a R. Elm 18 in. diam. to N 13 1/2 E. 20 lks. &

a Beech 8 " " " S. 21 1/2 W. 15 "

49.71 a Ho 24 " "

65.09 a Sugar 18 " "

79.79 to Sec. Cor.

189.30 W. On Random Betw. Sec. 30 & 31

Variation 4.30 East

40.00 Set Temp. post

63.00 a Branch 6 lks. wide co. North,

75.72 Intersected W. Boundary 26 lks. N. of post

Land gently rolling first
rate - Timber W. Oak, Beech, Hickory
& Walnut, Undergrowth Spruce, Beech, Catg.

189.19 E. Established Line Betw. Sec. 30 & 31

a Beech 12 in. diam. to N 82 E. 22 lks. &

a Walnut 36 " " " S. 22 E. 62 "

10.16 a Beech 24 " "

30.27 a Ho 18 " "

35.72 Set D. Sec. post pr. wh.

a Poplar 36 in. diam. to North 1 lks. do

a W. Oak 18 " " " S. 69 1/2 E. 16 lks. "

50.62 a Sugar 12 " "

75.72 to Sec. Cor.

North Between Sections 29 & 30 Var. 4.10 E.

13.60 a Beech 8 in. diam.

19.00 a Branch 3 lks. wide co. N. E.

31.73 a W. Oak 20 in. diam.

40.00 Set D. Sec. post pr. wh.

a Beech 12 in. diam. to S. 1 E. 55 lks. do

T. 25 N. R. 6 E. 2nd Mer. Indiana

clo. lks.

- a Beech 12 in diam. 8. 438 W. 36 lks. &
 50.29 a Sugar 18 " " "
 65.14 a Walnut 24 " "
 77.00 a Road bars E. & W.
 80.00 Established Cor. to Sec. 19, 20, 29, 30.
 a Beech 18 in. diam. 8. 478 W. 21 lks.
 a G. Ash 12 " " " 464 E. 12 "

Land this 8000 gently rolling
 first rate Timber W. Oak, Poplar,
 Walnut, G. Ash, Beech. Undr. th.
 Spruce, Ironw. & Beech

189306. On Random Betw. Sec. 20 & 29

Variation 4° 30' East

- 10.00 a Creek 50 lks. wide co. N. W.
 Low Banks Rapid Current
 46.00 Set Temp. 7. for
 46.00 Road bars N. to improvement
 47.00 New State Road from Mabash
 Town to Noblesville bars N. & S.
 60.00 a Branch 3 lks. wide co. S. 10 E.
 66.00 Gradual descent to Bottom Land
 76.50 Pipe Creek co. N. W. Low Banks, slow Current
 77.50 Clear 110
 79.00 Ascent of second Bank 8 ft. Elev. 60.
 79.88 Intersected N. & S. line at point

Land first 66.00 gently
 rolling first rate Timber W. Oak,
 Poplar, Beech, Sugar, Walnut, & G. Ash
 Next 13.00 Low Bottom Land - rich
 soil - Timber Oak, Buckeye, Beech,
 Hackberry & Elm. - Last 100 Low
 second rate - Undr. th. Spruce & Beech.
 Scattering -

18930 W. Established Line Betw. Sec. 20 & 29.

T. 25 N. R. 6 E. 2nd Mer. Indiana.

chs. lks.

- 19.72 a Beech 18 in. diam
 29.16 a Sugar 20 " "
 30.50 a G. Ash 18 " "
 39.94 Set 2nd Sec. from spr. wh.
 a Beech 30 in. diam. to N 36 E. 28 lks.
 a G. Ash 6 " " " 31 1/2 W. 10 "
 60.10 a Sugar 12 " "
 75.20 a Beech 20 " "
 79.88 to Sec. Cor.

489.20 W. On Random Betw. Sec. 19 & 30
 Variation 4.30 E.

- 15.00 Gradual descent of Land
 19.00 a Branch 10 lks. wide co. N.
 25.00 Gradual Ascent of Land Elev. 10°
 40.00 Set Temp. post
 75.09 Intersected W. Boundary. 27 lks. S. of post
 Land first 15.00 gently rolling
 first rate Timber W. Oak. Beech. Sugar,
 G. Ash & Walnut - Next 10.00 Low Bottom
 Land rich soil - Timber Beech. Buckeye
 Lym. Ash & Maple - Last 50.09 level
 second rate Timber W. Oak. Hickory,
 Sugar. Lym. & Poplar. Thick growth
 of Spruce Norway Beech

489.31 E. Established Line Betw. Sec. 19 & 30
 a W. Elm 36 in. diam to S 25 E. 10 lks. &
 a W. Oak 30 " " " N 21 E. 12 "

- 15.37 a Lym 20 " "
 25.14 a Beech 12 " "
 35.09 Set 2nd Sec. from spr. wh.
 a W. Oak 30 in. diam. to S 59 E. 10 lks. dis.
 a Beech 12 " " " 85 W. 18 " "
 50.10 a W. Oak 20 " "
 65.21 a Beech 30 " "

T. 25 N. R. 6 E. 2nd Mer Indiana
chs. lks

75.09 to Sec. Cor. - April 20, 1847

North Between Sections 19 & 20 Var. 4° 10' E.

2.50 Descent 10 ft. Elev. 70°

3.00 a Branch 10 lks. wide co. North
along Section Line

5.00 Clear Branch to the N. E.

13.12 a Sugar 18 in. diam

13.50 Gradual ascent Elev. 30°

25.06 a Sugar 10 in. diam.

30.00 Clearing Mostly on E. side of Line

37.00 Clear Clearing

40.00 Set 2nd Sec. post p.w.h.

a Beech - in. diam. b. N. 86½ E. 28 lks.
an Iron 2nd - " " " S. 76½ W. 4 "

53.48 a R. Elm 24 " "

72.45 a W. Oak 30 " "

78.00 Descent of Land 12 ft. Elev. 30°

80.00 Established Cor. to Secs. 17, 18, 19, 20 p.w.h.

a Beech 12 in. diam. b. N. 37 E. 42 lks. &

a Hickory 12 " " " S. 58 W. 15 "

Land first 2.00 gently
rolling second rate - Next 11.00
Bottom Land rich soil - Timber
W. Oak, Elm, Beech, Buckeye &
Lynn. Next 68.00 rolling first
rate - Timber W. Oak, Poplar, Walnut,
Sugar & Beech. - Last 2.00 Low
Bottom Land - Thin Undergrowth
of Spice & Beech.

N. 89° 30' E. On Random Betw. Secs. 17 & 20

Variation 4° 30' E.

1.50 a Creek 50 lks. wide co. North, Low
Banks - slow Current

8.50 Ascent of Hill Elev. 30°

T. 25 N. R. 6 E. 2nd Mer. Indiana

chs. lks.

- 9.50 Summit
 12.00 Old Windfall bars ~~~~
 38.00 Leave Ls. to the N. E. & S. E.
 40.00 Set Temp. post
 49.00 Descent of Hill 12 ft. Elev. 30%
 50.50 Pipe Creek co. N.W. Low Banks
 Slow Current
 51.50 Leave Pipe Creek
 57.00 Pipe Creek again 100 wide co. S.W.
 63.00 Pipe Creek again co. N.W. 100 wide
 67.00 Benj. Millers Improvement
 80.00 Intersected N.E. Line at post on
 East side of Improvement
 Land this 80.00 Broken
 second rate - W. Oak, Gum and
 Beech - In Windfall scattering
 undgth - Spruce, Hazel, & Beech -

- 18930th: Established Line Butte. Sec. 17 & 20
 20.31 a Lym 20 in. diam.
 35.10 a Beech 24 "
 40.00 Set 2nd Sec. post from wh.
 a Beech 20 in. diam. to N. 60 E. 18 lks. &
 a Lym 10 " " " S. 20 W. 17 "
 70.46 a Beech 18 " "
 80.00 to Sec. Cor.

- 18930th: On Random Butte. Sec. 18 & 19
 Variation 4.30' E.
 11.00 a Willow Pond bars North
 17.00 Leave Ls.
 40.00 Set Temp. post
 75.30 Intersected W. Boundary at post
 Land this 75.30 Sure good
 second rate - Timber W. B. Oak, Gum,
 R. Elm, Poplar, & Beech - Thick

T. 25 N. R. 6 E. 2nd Mer. Indiana
chs. lks.

Undergrowth of Spruce Ironwood Beech.

189.30' E. Established Line Betw. Sec. 18 & 19
a W. Oak 40 in. diam. to 451 E. 65 lks.
a R. Elm 8 " " " N. 73 E. 63 "
15.29 a Beech 20 " "
24.73 a W. Oak 18 " "
35.30 Set 2nd Sec. just p. wh.
a G. Ash 40 in. diam. to N 11 E. 27 lks.
a Beech 12 " " " 9.27 E. 28 "
50.18 a Linn 24 " "
59.82 a Hickory 20 " "
65.12 a Beech 12 " "
75.30 to Sec. Cor.

North Between Sections 17 & 18

Variation 4.10' East

1.00 a Creek 25 lks. wide co. N. W.
6.50 Creek N. Fork 15 lks. wide co. N. W.
11.35 a Beech 12 in. diam.
12.00 Track of an old fallen Timber
trav N. 80 E.
35.00 a Creek 50 lks. wide co. N. E.
40.00 Set 2nd Sec. just p. wh.
a G. Ash 10 in. diam. to 4.15 W. 15 lks.
a W. Oak 12 " " " N. 24 W. 34 "
41.00 Leave Old Windfall
42.00 Creek again 50 lks. wide co. N. 20 W.
50.00 Pipe Creek 75 lks. wide co. N. W. Low
Banks - Rapid Current
63.13 an H. Elm. 24 in. diam.
65.00 Ascent of Lane 12 ft. Elev. 45'
80.00 Established Cor. to Sec. 7, 8, 17, 18 p. wh.
a Burr Oak 18 in. diam. to 1.17 W. 75 lks.
a Sugar 10 " " " N. 7 E. 58 "
Land first 65.00 Low Low

357

T. 25 N. R. 6 E. 2nd Mer. Indiana
chs. lks.

Bottom, rich soil - Timber first 42.00
Scattering and young growth - W. Y. R.
Elm, Maple, Lym & Beech -
Mudgth, Hazel, P. Ash & Briar
Last 15.00 Lard second rate - Timber
W. Oak, Beech, Sugar, Y. Ash, and
Lym. Mudgth Spruce & P. Ash.
Scattering

189206 On Random Betwth Secs. 8 & 17
Variation 4.30' East

3.00 Improvement - Brush fence
7.00 Lard Do
40.00 Set Temp^{ly} post
49.50 a Branch 6 lks. wide co. S.
60.00 a Willow Pond extends N. & Y.
64.00 Lard Swamp
79.90 Intersected N. & Y. Line at post
Land first 40.00 gently rolling
second rate - Last 39.90 Lard second
rate - Timber W. Oak, Sugar, Hickory,
Lym & Beech - Land in Pond poor -
Mudgth - P. Ash, Hazel & Green Briar -

189301 Establishe Line Betwth Secs. 8 & 17
15.21 a Sugar 18 in. diam.
30.58 a Beech 12 " "
39.95 Set 2nd Sec. post pr. wh.
a Sugar 12 in. diam. B. N 25 E. 14 lks. &
a Do 20 " " " S. 25 W. 15 "
57.40 a Beech 24 " "
61.18 a Hick^{ry} 18 " "
70.56 a Beech 8 " "
79.90 to Sec. 6.

189301 On Random Betwth Secs. 7 & 18. Var. 4.30' E.

1.25 N. R. & E. 2nd Mer. Indiana chs. lks.

- 2.00 a Branch 3 lks. wide co. N. E.
 3.50 Abraham Sec'd improvement
 20.00 Lear Improvement
 29.00 a Branch 3 lks. wide co. South
 40.00 Set Temp'y. post
 41.50 a Branch 6 lks. wide co. S. W.
 55.00 a Do 6 " " " S. E.
 75.00 Intersuseta W. Boundry. 75 lks. N. of post
 Land this 75.00 selling second
 rate - Timber W. Oak. Sugar. H. Elm
 Poplar. & Beech. - Scattering undergrowth
 of Spice. Ironw. & Beech - April 21. 1847

- East. Established Line Betwⁿ Secs. 7 & 18
 a Beech 14 in. diam. to N. 15 lks. E. 24 lks. S. W.
 a Hick'y 6 " " " N. 24 lks. E. 29 " "
 10.60 a Beech 18 " "
 30.23 a Sugar 18 " "
 35.00 Set 2^d Sec. post fr. N. H.
 a Beech 8 in. diam. to N. 75 W. 40 lks. S. W.
 a Hick'y 24 " " " N. 75 lks. E. 25 " "
 45.16 a Beech 12 " "
 75.00 to Sec. Cor.

- North. Between Sections 7 & 8 Var. 4.10 E.
 5.00 a Branch 4 lks. wide co. S. W.
 9.68 a Poplar 36 in. diam.
 21.37 a Beech 20 " "
 36.40 a Do 10 " "
 40.00 Set 2^d Sec. post fr. N. H.
 a Beech 18 in. diam. to N. 40 lks. E. 27 lks. S. W.
 a Do 24 " " " N. 64 lks. E. 28 " "
 43.00 a Road trans. N. E. 2.00 then S. E.
 45.00 an Elm & Ash Swamp
 47.00 an S. Oak. 12 in. diam.
 60.00 Low Elm & Ash Swamp

359

T. 25 N. R. 6 E. 2nd Mer. Indiana

Chs. lks.

- 61.48 a Hickory 12 in. diam.
 63.00 Outlet from S. 10 lks. wide co. N. E.
 66.00 a Road bears E.
 67.00 a Willow & Maple Swamp.
 80.00 Established Cor. to Sec. 5, 6, 7, 8. p. 10h.
 a Maple 18 in. diam. to 47 W. 35 lks. x
 an S. Ash 18 " " " N. 27 E. 17 "

Land first 45.00 L. 2nd
 rate - Timber W. Oak, Sugar, A. Elm,
 and Beech principally - Next 16.00
 Swamp - third rate - Timber S. Ash,
 Elm & Maple - Next 9.00 L. 2nd
 rate - Timber W. Oak, S. Ash & Beech.
 Last 13.00 Swamp, poor - Timber Ash,
 & Maple, - Under th. on dry land, Spruce
 S. Ash & Beech.

189.30 E. On Random B. to Sec. 5 & 8.

Variation 4.30 East

- 5.00 Clear Maple & Willow Swamp.
 9.50 a Road bears N. E.
 40.00 S. L. Swampy. poor
 50.00 Pap. N. End of Maple S. 10 lks. Extends S. E.
 70.50 North - S. M. End of Large Willow Pond
 bears N. E.

79.80 Intersected by S. Line 20 lks. S. of post

Land first 5.00 S. 10 lks. third
 rate - Last 74.80 L. - Timber W. Oak,
 Poplar, Hickory & Beech - Under th.
 on dry land. Spruce scattering
 Timber in S. 10 lks. Maple & Willow

189.21 W. Established Line B. to Sec. 5 & 8.

- 19.76 a S. Ash 20 in. diam.
 35.10 a Beech 8
 39.90 S. L. 2nd Sec. poor p. 10h.

T 25 N. R. 6 E. 2nd Mer. Indiana
 ch. lks.

a G. Ash 24 in. diam. N. 31st E. 31 lks. &
 a Lr 18 " " S. 31st E. 4 "
 50.61 a Beech 10 " "
 60.22 a W. Oak 20 " "
 79.80 to Sec. Cor.

N. 89.30th On Random Butte Sec. 6 & 7
 Variation 4.30' E.

0.00 Lean Willow & Maple Swamp
 40.00 S. L. Swampy spot
 45.00 S. 1.50 - East end of Large Willow
 Swamp. trans. E. & W.
 60.00 S. 1.50 - West end of Swamp
 74.96 Intersected W. Boundary. 15 lks. S. of spot
 Same first 6.00 approx. poor
 Last 68.96 Live second rate Timber
 W. Oak, Poplar, Sugar, Spruce, Beech -
 Undergrowth. Spruce & Beech. Scattering

N. 89.36th Established Line Butte Sec. 6 & 7
 a Beech 10 in. diam. N. 31st E. 33 lks. dis.
 a Lr 18 " " N. 35th E. 35 " "

18.55 a Hickory 20 " "
 29.17 a Beech 12 " "
 34.96 S. L. 2nd Sec. poor sp. wh.
 a Bur Oak 18 in. diam. N. 25th W. 23 lks.
 a G. Ash 12 " " N. 31st E. 23 "
 50.15 a Beech 20 " "
 65.32 a Spruce 20 " "
 71.03 a Beech 20 " "
 74.96 to Sec. Cor.

North Butte Section 5 & 6. Van. -

9.00 Lean Swamp
 40.00 S. L. Swampy spot
 70.00 Ash & Elm Swamp -

361

T. 25 N. R. 6 E. 2nd Mer. Indiana
 chs. lks.

74.80 Intervuted N. Boundary, 20 lks. E. of post
 Land fine good Swampy - poor
 Next 6000 gently rolling good
 second rate - Timber W. Oak, B. Oak,
 Poplar, G. Ash & Beech - Scattering
 undgth. of Spruce & P. Ash - Timber
 in Swamp S. Ash, Elm, & Maple -

S. of E. Established Line Betwth Sec. 5 & 6
 an S. Ash 8 in. diam. 12 ft. 55 E. 32 lks. x
 a Do 12 " " " 12 ft. 69 "
 15.36 a G. Ash 20 " "
 34.80 Sec. 2nd Sec. post sp. wh.
 a Sycamore 36 in. diam. 12 ft. 49 E. 12 lks. x
 a W. Oak 18 " " " 65 W. 15 "
 44.22 a Lym 20 " "
 55.19 a Beech 12 " "
 64.39 a Poplar 24 " "
 74.80 to Sec. Cor. April 22, 1847

The Land in this Township
 is generally Level second rate -
 and heavy timbered - The
 course of the Branches is S. West
 & North - with sluggish currents, and
 low Banks - There being scarcely
 any perceptible Ascent or Descent of
 Land to or from them -

There is no material dif-
 ference in the quality of the Land
 throughout the Township - and
 may be considered very good
 Township of Land -

I Abner E. Van Ness - Depy.
 Surveyor do solemnly swear that in

25 N. R. 6 E. 2nd Mer. Indiana
 chs. lks.

pursuance of a Contract dated
 the twentieth day of May 1846. with
 Lucius Lyon Surveyor General of
 the United States for Ohio, Indiana,
 and Michigan. And in
 strict conformity to the Laws of
 the United States and instructions
 of said Surveyor General. I have
 regularly Surveyed and Subdivided
 into Sections Township N^o 25 North
 of Range N^o 6. East of the Second
 Principal Meridian in the State
 of Indiana. And I do further
 solemnly swear that the foregoing
 are the true and original field
 notes of said Survey and Subdivision
 executed as aforesaid

Abner C. Allen Dep
 Dep^y Surveyor

Subscribed and sworn to
 before me this 25 day of May
 1847- Geo. Weirick
 Justice of Peace

From N. Ganier;
 James Bell } Chairman

Isaac McCheslin Marker-

Note by Recorder

That portion of Flood
 claim N^o 5 Extending into
 this Town, on the North will
 be found recorded in 25 N. R. 6 E.

363
T. 25 N. R. 6 E. 2nd Mer. Indiana

I certify that the foregoing
Transcript of the Field Notes of Township
No. 25 N. in Range No. 6 E. 2nd Meridian
Indiana has been compared with
the original Notes in this Office
and found to be correct.

Surveyor Genl. Office
Detroit Nov. 1. 1849 }

Lucius Lyon
Sut. Genl.